



BRILL® Mixed Viscosity Table

0W-20 × 12.5W-40

0W-20	12.5W-40	Viscosity(40°C)	Viscosity(100°C)	Mixed Viscosity Grade
100%	0%	43.2	8.15	0W-20
95%	5%	44.7	8.35	2.5W-25
90%	10%	46.3	8.55	2.5W-25
85%	15%	47.9	8.76	2.5W-25
80%	20%	49.6	8.97	5W-25
75%	25%	51.4	9.20	5W-25
70%	30%	53.2	9.42	5W-30
65%	35%	55.1	9.66	5W-30
60%	40%	57.1	9.90	5W-30
55%	45%	59.2	10.1	5W-30
50%	50%	61.3	10.4	7.5W-30
45%	55%	63.6	10.7	7.5W-30
40%	60%	65.9	10.9	7.5W-30
35%	65%	68.3	11.2	7.5W-30
30%	70%	70.8	11.5	7.5W-30
25%	75%	73.5	11.8	10W-30
20%	80%	76.2	12.1	10W-35
15%	85%	79.0	12.4	10W-35
10%	90%	82.0	12.7	10W-40
5%	95%	85.1	13.1	12.5W-40
0%	100%	88.3	13.4	12.5W-40

Unit for Viscosity mm²/S